



FortiManager™  
Centralized Security Management



# FortiManager

FortiManager 200D, 300E, 400E, 1000D, 2000E, 3000F, 3900E, 4000E and VM

Today, security deployments are constantly growing and evolving due to changing business and threat prevention requirements. Unfortunately, these changes add to the already complex responsibility of managing security appliances. Enterprise organizations are looking for sophisticated security management to empower their IT teams with simple hyperscale management that enables consolidated policy creation and accelerated deployment cycles.

## Single Pane-of-Glass Management

This is where Fortinet Security Fabric comes into the picture for unified, end-to-end protection. Deploying Fortinet-based security infrastructure to battle advanced threats, and adding FortiManager to provide single-pane-of-glass management across your entire extended enterprise provides insight into network-wide traffic and threats.

FortiManager offers enterprise-class features to contain advanced threats, but also delivers the industry's best scalability to manage up to ten thousand Fortinet devices. FortiManager, coupled with the FortiAnalyzer family of centralized logging and reporting appliances, provides a comprehensive and powerful centralized management solution for your organization.

## Key Features & Benefits

**Enterprise-Class Management:** Simplified policy management and device provisioning for large scale Fortinet Enterprise Firewall deployment from one central place using hardware or virtual appliance.

**Full control of your network using Security Fabric** Ability to manage end-to-end Fortinet devices including FortiGate, FortiAP, FortiSwitch and FortiClient to provide single pane of glass for extended enterprise.

**Multi-tenancy and Increased Efficiency** Ensure common security baseline is enforced and shared among multiple administrative domains (ADOMs). Support of Restful API for automation reduces administrative burden.

**Deeper visibility and Co-relation engine** Centralized logging provides superior visibility and insights into events, traffic and threats.



Fortinet Security Fabric protects enterprise from IoT to Cloud. FortiManager plays a key role by enabling actionable attribute and delivers single pane of glass through unified management console.

*forti.net/sf*



## HIGHLIGHTS

### Reduce Operation Cost — Administrative Domains (ADOMs)


- Graphical interface to view, create and manage ADOMs
- Use ADOMs to manage independent security environments
- Each ADOM with its own security policies and configuration database
- Group devices logically or geographically for flexible management
- Create configuration templates to quickly provision devices for mass deployment
- Define global objects such as Firewall Objects, Policies and Security Profiles to share across multiple ADOMs
- Granular permissions allow assigning ADOMs, devices and policies to users based on role and duties



### Fortinet Developer Network (FNDN)

Access tools, sample code, documentation and interact with the Fortinet developer community by subscribing to the Fortinet Developer Network.

Note: With the purchase of a FortiManager 1000 series or above, customers receive a complimentary 90 day trial access to FNDN.



### Locally Hosted FortiGuard Labs Security Content

- Host security content locally for greater control over security content updates
- Provides improved response time for rating database
- Includes support for: Application Control and Intrusion Prevention updates, Antivirus and Web Filtering updates

### Hyperscale Management of Fortinet Devices

- Provides end-to-end visibility across Fortinet-based security infrastructure
- Ability to centrally manage up to 10,000 FortiGate security appliances
- New VPN manager simplifies the deployment and allows centrally-provisioned VPN community
- FortiAP Manager allows configuring, deploying and monitoring FortiAPs from a single console with Google Map view
- FortiClient Manager allows centralized configuration, deployment, and monitoring of FortiClients

### WorkFlow for Audit and Compliance

- Review, approve and audit policy changes from a central place
- Automated process to facilitate policy compliance and policy lifecycle management
- Enforced workflow to reduce risk for policy changes

### Monitor and Report for Deep Visibility

- Access vital security and network statistics
- Real-time monitoring and integrated reporting provides visibility into network and user activity
- For more powerful analytics, combine with a FortiAnalyzer appliance for additional data mining and graphical reporting capabilities

### API for Automation and Orchestration

- RESTful API allows MSSPs/large enterprises to create customized, branded web portals for policy and object administration
- Automate common tasks such as provisioning new FortiGates and configuring existing devices
- Join Fortinet Developer Network (FNDN) to access exclusive articles, how-to content for automation and customization, community-built tools, scripts and sample code

## SPECIFICATIONS

	LOCALLY HOSTED SECURITY CONTENT					MISCELLANEOUS FEATURES	
	Antivirus	Intrusion Prevention	Vulnerability Management	Web Filtering	Antispam Databases	Chassis Management	Global Policies
FortiManager 200D	Yes	Yes	Yes	Yes	Yes	No	Yes
FortiManager 300E	Yes	Yes	Yes	Yes	Yes	No	Yes
FortiManager 400E	Yes	Yes	Yes	Yes	Yes	No	Yes
FortiManager 1000D	Yes	Yes	Yes	Yes	Yes	Yes	Yes
FortiManager 2000E	Yes	Yes	Yes	Yes	Yes	Yes	Yes
FortiManager 3000F	Yes	Yes	Yes	Yes	Yes	Yes	Yes
FortiManager 3900E	Yes	Yes	Yes	Yes	Yes	Yes	Yes
FortiManager 4000E	Yes	Yes	Yes	Yes	Yes	Yes	Yes
FortiManager VM Base	Yes	Yes	Yes	Yes	Yes	No	Yes
FortiManager VM Base + FMG-VM-10-UG	Yes	Yes	Yes	Yes	Yes	No	Yes
FortiManager VM Base + FMG-VM-100-UG	Yes	Yes	Yes	Yes	Yes	No	Yes
FortiManager VM Base + FMG-VM-1000-UG	Yes	Yes	Yes	Yes	Yes	Yes	Yes
FortiManager VM Base + FMG-VM-5000-UG	Yes	Yes	Yes	Yes	Yes	Yes	Yes
FortiManager VM Base + FMG-VM-U-UG	Yes	Yes	Yes	Yes	Yes	Yes	Yes

FORTIMANAGER APPLIANCES	FMG-200D	FMG-300E	FMG-400E	FMG 1000D
<b>Capacity and Performance</b>				
Devices/VDOMs (Maximum) <sup>1</sup>	30	100	300	1,000
<b>Hardware Specifications</b>				
Hardware Form Factor	1 RU Rackmount	1 RU Rackmount	2 RU Rackmount	2 RU Rackmount
Total Interfaces	4x GE	4x GE	2x GE	6x GE, 2x GE SFP
Console Port	RJ45	DB9	DB9	RJ45
LCD Display	No	No	No	No
Storage Capacity	1 TB (1x 1 TB)	12 TB (4x 3 TB)	24 TB (8x 3 TB)	8 TB (4x 2 TB)
Removable Hard Drives	No	Yes	Yes	Yes
RAID Levels Supported	None	RAID 0/1/5/10	RAID 0/1/5/6/10/50/60	RAID 0/1/5/10
High Availability Support	Yes	Yes	Yes	Yes
Redundant Hot Swap Power Supplies	No	No	Yes	Yes
<b>Dimensions</b>				
Height x Width x Length (inches)	1.8 x 17.1 x 13.9	1.7 x 17.2 x 19.8	3.5 x 17.2 x 25.2	3.5 x 17.1 x 14.5
Height x Width x Length (cm)	4.5 x 43.4 x 35.2	4.3 x 4.4 x 5.0	8.9 x 4.4 x 6.9	9 x 43.4 x 36.8
Weight	13.4 lbs (6.1 kg)	31 lbs (14.1 kg)	52 lbs (23.6 kg)	30.6 lbs (13.9 kg)
<b>Environment</b>				
AC Power Supply	100–240V AC, 50–60 Hz, 6 Amp Maximum	100–240V AC, 50-60 Hz	100–240V AC, 60–50 Hz	100–240V AC, 50–60 Hz, 5 Amp Maximum
Power Consumption (Average / Maximum)	60 W / 72 W	93 W	192.5 W	133 W / 160 W
Heat Dissipation	205 BTU/h	456 BTU/h	920 BTU/h	546 BTU/h
Operating Temperature	32–104°F (0–40°C)	32–104°F (0–40°C)	32–104°F (0–40°C)	32–104°F (0–40°C)
Storage Temperature	-13–158°F (-25–70°C)	-40–140°F (-40–60°C)	-40–140°F (-40–60°C)	-13–158°F (-25–70°C)
Humidity	5–95% non-condensing	8–90% non-condensing	8–90% non-condensing	5–95% non-condensing
Operating Altitude	Up to 7,400 ft (2,250 m)	Up to 9,842 ft (3,000 m)	Up to 9,842 ft (3,000 m)	Up to 7,400 ft (2,250 m)
<b>Compliance</b>				
Safety Certifications	FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB	FCC Part 15 Class A, C-Tick, VCCI, CE, BSMI, KC, UL/cUL, CB, GOST	FCC Part 15 Class A, C-Tick, VCCI, CE, BSMI, KC, UL/cUL, CB, GOST	FCC Part 15 Class A, C-Tick, VCCI, CE, BSMI, UL/cUL, CB

<sup>1</sup> Each Virtual Domain (VDOM) operating on a physical or virtual device counts as one (1) licensed network device

FortiManager 200D



FortiManager 400E

Image not available

FortiManager 300E



FortiManager 1000D

## SPECIFICATIONS

FORTIMANAGER APPLIANCES	FMG-2000E	FMG-3000F	FMG-3900E	FMG-4000E		
<b>Capacity and Performance</b>						
Devices/VDOMs (Maximum) <sup>1</sup>	1,200	4,000	10,000	4,000		
<b>Hardware Specifications</b>						
Hardware Form Factor	2 RU Rackmount	3 RU Rackmount	2 RU Rackmount	2 RU Rackmount		
Total Interfaces	4x GE, 2x 10 GE SFP+	4x GE, 2x 10 GE SFP+	2x GE, 2x 10 GE SFP+	4x GE, 2x GE SFP		
Console Port	DB-9	DB-9	DB-9	DB-9		
LCD Display	No	No	Yes	Yes		
Storage Capacity	36 TB (12x 3 TB)	48 TB (16x 3 TB)	15 TB SSD (15x 1 TB SSD)	16 TB (8x 2 TB)		
Removable Hard Drives	Yes	Yes	Yes	Yes		
RAID Levels Supported	RAID 0/1/5/6/10/50/60	RAID 0/1/5/6/10/50/60	RAID 0/1/5/6/10/50/60	RAID 0/1/5/6/10/50/60		
High Availability Support	Yes	Yes	Yes	Yes		
Redundant Hot Swap Power Supplies	Yes	Yes	Yes	Yes		
<b>Dimensions</b>						
Height x Width x Length (inches)	3.5 x 17.2 x 25.6	5.2 x 17.2 x 25.5	3.5 x 17.2 x 26.9	3.4 x 19 x 29.7		
Height x Width x Length (cm)	8.9 x 43.7 x 64.8	13.2 x 43.7 x 64.8	8.9 x 43.7 x 68.4	8.7 x 48.2 x 75.5		
Weight	58 lbs (26.3 kg)	76 lbs (34.5 kg)	52 lbs (23.6 kg)	71.5 lbs (32.5 kg)		
<b>Environment</b>						
AC Power Supply	100–240V AC, 50–60 Hz	100–240V AC, 50–60 Hz	100–240V AC, 50–60 Hz, 10 Amp Maximum	100–240V AC, 50–60 Hz, 10 Amp Maximum		
Power Consumption (Average / Maximum)	195.2 W	285.5 W	391 W / 470 W	376 W / 561 W		
Heat Dissipation	920 BTU/h	1376 BTU/h	1637 BTU/h	1947 BTU/h		
Operating Temperature	50–95°F (10–35°C)	50–95°F (10–35°C)	50–95°F (10–35°C)	50–95°F (10–35°C)		
Storage Temperature	-40–140°F (-40–60°C)	-40–140°F (-40–60°C)	-40–140°F (-40–60°C)	-40–149°F (-40–65°C)		
Humidity	8–90% non-condensing	8–90% non-condensing	5–95% non-condensing	20–90% non-condensing		
Operating Altitude	Up to 7,400 ft (2,250 m)	Up to 7,400 ft (2,250 m)	Up to 7,400 ft (2,250 m)	Up to 7,400 ft (2,250 m)		
<b>Compliance</b>						
Safety Certifications	FCC Part 15 Class A, C-Tick, VCCI, CE, BSMI, KC, UL/cUL, CB, GOST	FCC Part 15 Class A, C-Tick, VCCI, CE, BSMI, KC, UL/cUL, CB, GOST	FCC Part 15 Class A, C-Tick, VCCI, CE, BSMI, KC, UL/cUL, CB, GOST	FCC Part 15 Class A, C-Tick, VCCI, CE, BSMI, KC, UL/cUL, CB, GOST		
<b>FORTIMANAGER VIRTUAL APPLIANCES</b>						
	FMG-VM-BASE	FMG-VM-10-UG	FMG-VM-100-UG	FMG-VM-1000-UG	FMG-VM-5000-UG	FMG-VM-U-UG
<b>Capacity</b>						
Devices/VDOMs (Maximum) <sup>1</sup>	10	+10	+100	+1,000	+5,000	Unlimited <sup>2</sup>
Storage Capacity <sup>3</sup>	100 GB	200 GB	1 TB	4 TB	8 TB	16 TB
GB/Day of Logs <sup>3</sup>	1	2	5	10	25	50
<b>Virtual Machine</b>						
Hypervisor Support	VMware ESX/ESXi 4.0/4.1/5.0/5.1/5.5/6.0, Microsoft Hyper-V 2008 R2/2012/2012 R2, Citrix XenServer 6.0+, Open Source Xen 4.1+, KVM, Amazon Web Services (AWS), Microsoft Azure					
vCPU Support (Minimum / Maximum)	1 / Unlimited					
Network Interface Support (Minimum / Maximum)	1 / 4					
Storage Support (Minimum / Maximum)	80 GB / 16 TB					
Memory Support (Minimum / Maximum)	1 GB / 4 GB for 32-bit and 2 GB / Unlimited for 64-bit					
High Availability Support	Yes					

<sup>1</sup> Each Virtual Domain (VDOM) operating on a physical or virtual device counts as one (1) licensed network device<sup>2</sup> Limited in software to 10,000 devices/VDOMs<sup>3</sup> Storage Capacity and GB/Day of Logs are not stackable. These values represent the maximum available with purchased license.

FortiManager 2000E



FortiManager 3000F



FortiManager 3900E



FortiManager 4000E

## ORDER INFORMATION

FORTIMANAGER	
SKU	Description
FMG-200D	Centralized management, log and analysis appliance — 4x GE RJ45, 1 TB storage, manages up to 30 Fortinet network devices/virtual domains.
FMG-300E	Centralized management, log and analysis appliance — 4x GE RJ45, 12 TB storage, up to 100x Fortinet devices/virtual domains.
FMG-400E	Centralized management, log and analysis appliance — 2x GE RJ45, 24 TB storage, up to 300x Fortinet devices/virtual domains.
FMG-1000D	Centralized management, log and analysis appliance — 6x GE RJ45, 2x SFP slots, 8 TB storage, dual power supplies, manages up to 1,000 Fortinet devices/virtual domains.
FMG-2000E	Centralized management, log and analysis appliance — 4x GE RJ45, 2x 10 GE SFP+ slots, 36 TB storage, dual power supplies, manages up to 1,200 Fortinet devices/virtual domains.
FMG-3000F	Centralized management, log and analysis appliance — 4x GE RJ45, 2x 10 GE SFP+ slots, 48 TB storage, dual power supplies, manages up to 4,000 Fortinet devices/virtual domains.
FMG-3900E	Centralized management, log and analysis appliance — 2x GE RJ45, 2x 10 GE SFP+ slots, flash-based 15 TB SSD storage, dual power supplies, manages up to 10,000 Fortinet devices/virtual domains.
FMG-4000E	Centralized management, log and analysis appliance — 4x GE RJ45, 2x GE SFP slots, 16 TB storage, dual power supplies, manages up to 4,000 Fortinet devices/virtual domains.

ADDITIONAL FORTIMANAGER ITEMS	
SKU	Description
FC-10-FNDN1-139-01-12	1 Subscription for 1 User to Fortinet Developer Network
FC-10-FNDN2-139-02-12	1 Year Subscription for Unlimited Users to Fortinet Developer Network
FMG-SDNS	License to operate FortiManager as a dedicated Secure DNS server appliance (3000 series and above – hardware only)

FORTIMANAGER-VM LICENSES		
SKU	Licensed Network Devices (Maximum)	Description <sup>4</sup>
Built-in Evaluation	10	Built-in 15-day EVAL license, no activation required.
Full Evaluation (60-days)	10,000	EVAL license. License and activation required.
FMG-VM-Base	10	Base license for stackable FortiManager-VM. Manages up to 10 Fortinet devices/virtual domains, 1 GB/day of logs and 100 GB storage capacity. Designed for VMware vSphere, Xen, KVM and Hyper-V platforms.
FMG-VM-10-UG	+10	Upgrade license for adding 10 Fortinet devices/virtual domains; allows for total of 2 GB/day of logs and 200 GB storage capacity.
FMG-VM-100-UG	+100	Upgrade license for adding 100 Fortinet devices/virtual domains; allows for total of 5 GB/day of logs and 1 TB storage capacity.
FMG-VM-1000-UG	+1,000	Upgrade license for adding 1,000 Fortinet devices/virtual domains; allows for total of 10 GB/day of logs and 4 TB storage capacity.
FMG-VM-5000-UG	+5,000	Upgrade license for adding 5,000 Fortinet devices/virtual domains; allows for total of 25 GB/day of logs and 8 TB storage capacity.
FMG-VM-U-UG	Unrestricted <sup>5</sup>	Upgrade license for adding unlimited Fortinet devices/virtual domains; allows for total of 50 GB/day of logs and 16 TB storage capacity.

SKU — for AWS		
FMG-VM-BASE-AWS	10	Base license for stackable FortiManager-VM. Manages up to 10 Fortinet devices/virtual domains, 1 GB/day of logs and 100 GB storage capacity. Designed for AWS platform (BYOL).
FMG-VM-10-UG-AWS	+10	Upgrade license for adding 10 Fortinet devices/virtual domains; allows for total of 2 GB/day of logs and 200 GB storage capacity.
FMG-VM-100-UG-AWS	+100	Upgrade license for adding 100 Fortinet devices/virtual domains; allows for total of 5 GB/day of logs and 1 TB storage capacity.
FMG-VM-1000-UG-AWS	+1,000	Upgrade license for adding 1,000 Fortinet devices/virtual domains; allows for total of 10 GB/day of logs and 4 TB storage capacity.
FMG-VM-5000-UG-AWS	+5,000	Upgrade license for adding 5,000 Fortinet devices/virtual domains; allows for total of 25 GB/day of logs and 8 TB storage capacity.
FMG-VM-U-UG-AWS	Unrestricted	Upgrade license for adding unlimited Fortinet devices/virtual domains; allows for total of 50 GB/day of logs and 16 TB storage capacity.

SKU — for Azure		
FMG-VM-BASE-AZ	10	Base license for stackable FortiManager-VM. Manages up to 10 Fortinet devices/virtual domains, 1 GB/day of logs and 100 GB storage capacity. Designed for Azure platform (BYOL).
FMG-VM-10-UG-AZ	+10	Upgrade license for adding 10 Fortinet devices/virtual domains; allows for total of 2 GB/day of logs and 200 GB storage capacity.
FMG-VM-100-UG-AZ	+100	Upgrade license for adding 100 Fortinet devices/virtual domains; allows for total of 5 GB/day of logs and 1 TB storage capacity.
FMG-VM-1000-UG-AZ	+1,000	Upgrade license for adding 1,000 Fortinet devices/virtual domains; allows for total of 10 GB/day of logs and 4 TB storage capacity.
FMG-VM-5000-UG-AZ	+5,000	Upgrade license for adding 5,000 Fortinet devices/virtual domains; allows for total of 25 GB/day of logs and 8 TB storage capacity.
FMG-VM-U-UG-AZ	Unrestricted	Upgrade license for adding unlimited Fortinet devices/virtual domains; allows for total of 50 GB/day of logs and 16 TB storage capacity.

<sup>4</sup> Unlimited virtual CPUs. Memory is not restricted up to the operating system limit of 4 GB (32-bit) / Unlimited (64-bit)

<sup>5</sup> Limited in software to 10,000 devices/VDOMs.



GLOBAL HEADQUARTERS  
Fortinet Inc.  
899 Kifer Road  
Sunnyvale, CA 94086  
United States  
Tel: +1.408.235.7700  
www.fortinet.com/sales

EMEA SALES OFFICE  
905 rue Albert Einstein  
Valbonne 06560  
Alpes-Maritimes, France  
Tel: +33.4.8987.0500

APAC SALES OFFICE  
300 Beach Road 20-01  
The Concourse  
Singapore 199555  
Tel: +65.6395.2788

LATIN AMERICA SALES OFFICE  
Sawgrass Lakes Center  
13450 W. Sunrise Blvd., Suite 430  
Sunrise, FL 33323  
United States  
Tel: +1.954.368.9990